

STRATOS/SIRRUS SERIES



STRATOS 50



STRATOS 36



STRATOS 34



STRATOS 26



STRATOS 24



SIRRUS 50



SIRRUS 36



SIRRUS 26*



SIRRUS 24

The Stratos and SIRRUS Series is designed with Osprey's AirSpeed™ suspension system providing excellent backpanel ventilation. It is offered in a range of sizes with top loading or panel loading styles providing the perfect option for both day hiking or backpacking enthusiasts.

*Available in select markets only.

OWNER'S MANUAL



ospreypacks.com

OVERVIEW



SHARED FEATURES

- 1 Upper side compression straps
- 2 Stow-on-the-Go™ trekking pole attachment
- 3 Side mesh woven pockets with InsideOut™ compression
- 4 Zippered hipbelt pockets
- 5 Integrated raincover
- 6 Single ice tool attachment with stowable bungee tie-off
- 7 Removable sleeping pad straps

FABRICS

- MAIN** 210D Nylon Dobby
- ACCENT** 420D Nylon Shadowbox
- BOTTOM** 210D Nylon Dobby

OVERVIEW

STRATOS 50

SPECS	S/M	M/L
Cubic Inches	2868	3051
Liters	47	50
Lbs/Ounces	3/2	3/4
Kilograms	1.43	1.48
Inches	25h x 13w x 14d	
Centimeters	63h x 33w x 35d	

LOAD RANGE 25 - 40lb

UNIQUE FEATURES

- 1 Removable top pocket with twin zippered pockets
- 2 Top loader with large front panel access
- 3 Zippered lower sleeping bag compartment with divider



STRATOS 36

SPECS	S/M	M/L
Cubic Inches	2075	2197
Liters	34	36
Lbs/Ounces	2/14	3/0
Kilograms	1.31	1.36
Inches	28h x 13w x 12d	
Centimeters	70h x 33w x 31d	

LOAD RANGE 15 - 30lb

UNIQUE FEATURES

- 1 Fixed top pocket with twin zippered pockets
- 2 Top loader with large front panel access to main compartment
- 3 Zippered lower sleeping bag compartment with divider



STRATOS 34

SPECS	S/M	M/L
Cubic Inches	1953	2075
Liters	32	34
Lbs/Ounces	2/10	2/12
Kilograms	1.20	1.25
Inches	24h x 13w x 13d	
Centimeters	60h x 34w x 32d	

LOAD RANGE 15 - 30lb

UNIQUE FEATURES

- 1 Panel access
- 2 Large zippered top stash pocket
- 3 Zippered front slash pocket
- 4 Zippered lower sleeping bag compartment with divider



OVERVIEW

STRATOS 26

SPECS	S/M	M/L
Cubic Inches	1465	1587
Liters	24	26
Lbs/Ounces	2/7	2/10
Kilograms	1.11	1.20
Inches	25h x 12w x 11d	
Centimeters	64h x 30w x 27d	

LOAD RANGE 10 - 25lb

UNIQUE FEATURES

- 1 Fixed top pocket with twin zippered pockets
- 2 Top loader



STRATOS 24

SPECS	S/M	M/L
Cubic Inches	1343	1465
Liters	22	24
Lbs/Ounces	2/3	2/7
Kilograms	1.00	1.10
Inches	22h x 12w x 10d	
Centimeters	56h x 30w x 26d	

LOAD RANGE 10 - 25lb

UNIQUE FEATURES

- 1 Panel access
- 2 Large zippered top slash pocket
- 3 Zippered front slash pocket



SIRRUS 50 ♀

SPECS	WXS/WS	WS/WM
Cubic Inches	2868	3051
Liters	47	50
Lbs/Ounces	3/1	3/3
Kilograms	1.39	1.44
Inches	24h x 13w x 14d	
Centimeters	60h x 33w x 35d	

LOAD RANGE 25 - 40lb

UNIQUE FEATURES

- 1 Removable top pocket with twin zippered pockets
- 2 Top loader with large front panel access
- 3 Zippered lower sleeping bag compartment with divider



OVERVIEW

SIRRUS 36

SPECS	WXS/WS	WS/WM
Cubic Inches	2075	2197
Liters	34	36
Lbs/Ounces	2/11	2/12
Kilograms	1.22	1.25
Inches	28h x 14w x 12d	
Centimeters	70h x 36w x 31d	

LOAD RANGE 15 - 30lb

UNIQUE FEATURES

- 1 Fixed top pocket with twin zippered pockets
- 2 Top loader with large front panel access to main compartment
- 3 Zippered lower sleeping bag compartment with divider



SIRRUS 26*

SPECS	WXS/WS	WS/WM
Cubic Inches	1465	1587
Liters	24	26
Lbs/Ounces	2/7	2/10
Kilograms	1.11	1.20
Inches	25h x 12w x 11d	
Centimeters	64h x 30w x 27d	

LOAD RANGE 10 - 25lb

UNIQUE FEATURES

- 1 Fixed top pocket with twin zippered pockets
- 2 Top loader



SIRRUS 24

SPECS	WXS/WS	WS/WM
Cubic Inches	1343	1465
Liters	22	24
Lbs/Ounces	2/5	2/5
Kilograms	1.05	1.05
Inches	20h x 12w x 10d	
Centimeters	51h x 30w x 26d	

LOAD RANGE 10 - 25lb

UNIQUE FEATURES

- 1 Panel access
- 2 Large zippered top slash pocket
- 3 Zippered front slash pocket



SUSPENSION

1 AIRSPEED™ SUSPENSION


- + LightWire™ alloy frame creates low profile air space optimizing pack balance and ventilation
- + 3D tensioned breathable mesh backpanel ensures supportive fit

2 SPACER MESH HARNESS

- + Sewn-in spacer mesh
- + Webbing adjustable sternum strap with whistle buckle
- + Mesh covered ventilated die cut foam

3 SPACER MESH SEWN-IN HIPBELT

- + Zippered stretch mesh hipbelt pockets
- + ErgoPull™ hipbelt closure



OSPREY'S AIRSPEED™
3D tensioned breathable mesh

SIZING / FIT

STRATOS - MEN'S SIZING

S/M 16-19" / 40-48 cm

M/L 18-21" / 46-53 cm

SIRRUS - WOMEN'S SIZING

XS/S 15-18" / 38-46 cm

S/M 17-20" / 43-51 cm

WOMEN'S SPECIFIC FIT

- + Pack shape is narrower and deeper allowing greater freedom of movement and increased stabilization by lowering the position of the load to a woman's center of gravity.
- + Padding is added to varying points on the hipbelt and harness in order to support carrying a heavy load.
- + The shoulder harness is designed with different curves to create an anatomical fit for a woman's neck, shoulders and chest.
- + The hipbelt is narrower in height so it doesn't dig into the ribs or upper thighs when scrambling, climbing or biking.
- + Women's hips are conically shaped with a larger difference between the waist and hip measurements. The hipbelts are shaped and angled to accommodate this difference which allows a more comfortable load transfer and support.

FEATURE DETAILS



INTEGRATED RAINCOVER

50L / 36L / 34L / 26L / 24L

The integrated, removable raincover provides pack protection in adverse conditions.

- A Locate the raincover icon near the base of the pack and unzip the raincover compartment.
- B Pull the raincover from the compartment and slip it over the top and bottom of pack using the peripheral elastic to hold it in place.
- C Reverse this process to return raincover to compartment.
- D To remove the raincover altogether, unfasten the toggle from the cord loop and remove.

Note: To prevent mildew allow the raincover to dry entirely before storing.




TOOL ATTACHMENT

50L / 36L / 34L / 26L / 24L

The dual ice tool loops and clove hitch style bungee tie-offs provide secure tool attachment and transport.

- A Slide the tool shaft through the top of the ice tool loop and flip the shaft up towards the top of the pack.
- B Loosen the bungee cord lock and route the tool handle through the bungee. Tighten the cord lock nesting it into the Y-Clip to secure the tool into place.
- C Reverse to remove.



INTERNAL RESERVOIR SLEEVE

50L / 36L / 34L / 26L / 24L

An internal reservoir sleeve is located in the main body of the pack allowing easy loading/unloading of a hydration reservoir. Placing your reservoir inside the sleeve helps provide proper weight distribution when carrying your pack.



REMOVABLE SLEEPING PAD STRAPS

50L / 36L / 34L / 26L / 24L

Sleeping pad straps allow for quick, secure external gear attachment. They can be removed to save weight.

FEATURE DETAILS



DUAL SIDE COMPRESSION STRAPS

50L / 36L / 34L / 26L / 24L

Dual upper side compression/carry straps with a quick release buckle aid in compressing and stabilizing loads for optimal carry.



STOW-ON-THE-GO™ TREKKING POLE ATTACHMENT

50L / 36L / 34L / 26L / 24L

Osprey's Stow-on-the-Go™ trekking pole attachment is designed to quickly attach and carry trekking poles while wearing a pack.

- Adjust the trekking poles to their minimum length.
- Locate the elasticized loop on the lower left side of pack. While pulling the loop out from the pack, insert the basket end of the trekking poles into the loop.
- On the left harness strap locate the trekking pole icon. Pull up on the cord to open, place pole handles in the loop and tighten with the cord lock to secure.
- Reverse these steps to remove the trekking poles.



INSIDEOUT™ COMPRESSION STRAPS

50L / 36L / 34L / 26L / 24L

Osprey's InsideOut™ Compression straps allow you to create tension and easily secure loads in the dual stretch mesh side pockets. To route the InsideOut™ compression straps:

- Locate the duckbill buckle at the top and side of each side pocket and unthread the webbing.
- Route the webbing by positioning the slider buckle inside or outside of the side pocket and reverse the process.



SLEEPING BAG COMPARTMENT

50L / 36L / 34L

A lower zippered sleeping bag compartment with a drop down divider provides easy access to internal contents and allows you to use your pack with one compartment or two. To drop down the internal divider, unthread the two toggles attached to the divider from the cord loops sewn along the backpanel inside the main compartment.

FEATURE DETAILS



TOP LOADER PACKS 50L / 36L / 26L

Access to the main pack compartment is under the top lid. A drawstring closure located under the top lid provides secure closure of the pack.

TOP LOADER PACKS



TOP LID POCKET 50L / 36L / 26L



FRONT PANEL ACCESS 50L / 36L



REMOVABLE FLOATING TOP LID 50L

The floating top lid can extend to accept oversized loads or can be removed from the pack body for weight saving lidless use.

- A Release the top lid retention strap buckles on the front side of the pack.
- B Unthread the webbing through the duckbill buckles located on the back side of the top lid.
- C Reverse to reattach.



PANEL LOADER PACK 34L / 24L

Dual zippered panel loader provides easy access to the pack's main compartment.

PANEL LOADER PACKS



ZIPPERED SLASH POCKETS 34L / 24L



PACK / RESERVOIR MAINTENANCE

Your Osprey pack is an extremely durable product and is built for years of use. However, some basic pack maintenance will help ensure your pack lasts a lifetime.

OSPREY PACKS

STANDARD MAINTENANCE

- + After each trip be sure to clean out your pack thoroughly.
- + Clean the zippers regularly using mild soap, warm water and soft brush. This will help keep them in proper working condition.
- + If your pack is wet, hang it to dry out of direct sunlight.
- + Loosen all the straps.
- + Wash your pack if dirt, sweat, salt and stains have worked their way into fabrics, webbing or mesh.
[Do not immerse travel packs in water with our HighRoad™ Wheeled Chassis.]

WASHING YOUR PACK

- A Empty the pack including any food, dirt or spilled contents.
- B If your pack has a removable harness and hipbelt, remove them from the pack body.
- C Do NOT wash your pack in a washing machine. Clean your pack and components in a bathtub or large sink using a mild detergent and warm water.
- D Agitate the pack gently. Scrub the inside and outside of all compartments including the pockets with a soft brush.
- E Clean the zippers using a mild soap, warm water and a soft brush. Flush water and soap through the buckles. Keeping dirt and debris out of the zippers and buckles will help keep them in proper working condition.
- F Drain the dirty water from the bathtub or sink and refill with cool clean non-soapy water. Rinse the pack thoroughly. Repeat this step as necessary.
- G Hang your pack to dry outside or in a well ventilated area, out of direct sunlight.

WHEELED TRAVEL LUGGAGE

[Do not immerse travel packs in water with our HighRoad™ Wheeled Chassis.]

- A After each trip, empty the pack including any food, dirt or spilled contents.
- B Clean the zippers regularly using mild soap, warm water and soft brush. This will help keep them in proper working condition.
- C Wipe the exterior of the chassis with a damp cloth or sponge.
- D Clean the pack fabric by scrubbing stains and dirt with warm water, mild detergent and a soft brush or sponge.
- E Use a wet towel with clean non-soapy water to wipe away any soap residue on the pack.
- F Hang your pack to dry outside or in a well ventilated area, out of direct sunlight.

RECOMMENDED CLEANING PRODUCTS

Osprey recommends Nikwax® products for pack care. Be sure to read label directions carefully before applying any product to your pack.

Tech Wash® - Use this with warm water for washing and cleaning your packs or luggage.

Tent & Gear Solar Proof® - Use this spray-on product to protect your packs from UV exposure and to improve water repellency.



For complete instructions on cleaning your Osprey pack, visit: ospreypacks.com/PackTech/PackCare.

OSPREY RESERVOIRS

RESERVOIR STANDARD MAINTENANCE

- + Our reservoir's anti-microbial formula prevents most mold and bacteria growth.
- + Rinsing out your reservoir after each use should keep your reservoir fresh, especially when using sugary drink mixes.
- + Periodically use Osprey's Hydraulics™ Cleaning Tablets to clean your reservoir.
- + Iodine or other purifying tablets used in your reservoir will not affect the quality of your reservoir. However these tablets may stain the reservoir over time.
- + Freezing your reservoir will not effect the quality of the reservoir. However if the reservoir is filled with water, be aware that water expands when it freezes and can damage your reservoir if it is overfilled.
- + Do NOT pour boiling water into the reservoir. This can damage the reservoir and will void your warranty.
- + Watch "Cleaning an Osprey Hydraulics™ Reservoir" video on Osprey Packs YouTube® page.

CLEANING YOUR RESERVOIR (WITH OSPREY HYDRAULICS™ CLEANING TABLETS)

- A Fill reservoir with warm water. Do not use bleach or boiling water.
- B Add one cleaning tablet to reservoir and close the cap.
- C Let tablet dissolve for 5 minutes with the reservoir laying on its back.
- D Shake the reservoir for 30 seconds to mix and spread the solution.
- E Pinch the bite valve and squeeze the reservoir to remove air and fill the reservoir hose and bite valve with solution.
- F Let the reservoir sit for 15 minutes and then pour out solution.
- G Rinse the reservoir and tube with clean cool water.
- H Hang your reservoir to dry in a well ventilated area.

DEEP CLEANING YOUR RESERVOIR (WITH OSPREY HYDRAULICS™ CLEANING KIT)

- 1 Rinse out the reservoir and fill it with warm water and a mild dish detergent. Do not use bleach or boiling water.
- 2 With the large cleaning brush from Osprey's Hydraulics™ Cleaning Kit scrub the interior of the reservoir.
- 3 Remove the hose from the reservoir and the bite valve from the hose and use the small brush from Osprey's Hydraulics™ Cleaning Kit to scrub the interior of the hose.
- 4 Remove the silicone bite valve cover and clean it and the bite valve with warm soapy water.
- 5 Rinse the interior and exterior of the reservoir, hose and bite valve parts with cool clean water.
- 6 Let the hose and bite valve dry in a well-ventilated area.
- 7 Insert Osprey's Hydraulics™ Cleaning Kit drying rack into the reservoir and hang to dry in a well ventilated area.

For complete instructions on cleaning your Osprey reservoir watch, "Cleaning an Osprey Hydraulics™ Reservoir" at youtube.com/ospreypacks.

OSPREY ACCESSORIES

Customize and protect your pack with Osprey's full line of accessories.

For the full lineup, please visit your local Osprey retailer or visit:

ospreypacks.com.

PACK YOUR PACK

Loading your pack correctly optimizes comfort while you are carrying it. For complete information visit:

ospreypacks.com/PackTech/HowToPackYourPack

GUARANTEE

At Osprey, sustainability is designed into our packs, which are built to last a lifetime and backed by a superb guarantee, no matter how hard you are on your gear. Visit **ospreypacks.com** for details.

QUESTIONS?

Contact Osprey Customer Service. Real help from real people.

Scroll over the customer service tab at **ospreypacks.com.**

OSPREY PACKS, INC.

115 PROGRESS CIRCLE

CORTEZ, CO 81321 USA

866-284-7830

ospreypacks.com/PackTech/OwnersManuals

CN 如欲觀看繁體中文使用者手冊，請瀏覽 www.ospreypacks.com

請訪問www.ospreypacks.com獲得該用戶手冊的中文版本

JP 日本語版オーナーズマニュアルはオスプレー社の

Web サイト (<http://www.ospreypacks.com>)

からダウンロードすることができます。

FR Veuillez visiter www.ospreypacks.com pour une version en français de ce guide d'utilisation.

DE Auf der Homepage www.ospreypacks.com finden Sie die deutsche Version dieses enutzerhandbuchs.

ES Visita por favor www.ospreypacks.com para ver la versión de nuestro manual en Español.

IT Visita il sito www.ospreypacks.com per la versione in Italiano del manuale d'uso.

KR www.ospreypacks.com/PackTech/OwnersManuals

에서 사용자 설명서를 다운로드하세요

OWNER'S MANUAL



ospreypacks.com